U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency National Flood Insurance Program

OMB No. 1660-0008 Expiration Date: November 30, 2022

ELEVATION CERTIFICATE Important: Follow the instructions on pages 1–9.

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

SECTION A - PROPERTY INFORMATION				FOR INSUR	ANCE COMPANY USE		
A1. Building Owner	s Name					Policy Numb	er:
Georgette Rassman							
A2. Building Street / Box No. 26 North Washingtor		luding Apt., Unit, Suit	e, and/o	r Bldg. No.) oi	P.O. Route and	Company N	AIC Number:
City	17(10)140			State		ZIP Code	
Ventnor New Jersey				08406			
A3. Property Descri BLOCK: 135 LOT: 2		nd Block Numbers, Ta	x Parcel	Number, Leg	al Description, etc	:.)	
A4. Building Use (e.	.g., Residen	tial, Non-Residential,	Addition	, Accessory, e	etc.) <u>Residentia</u>	l 2~Story over Wall	kthru
A5. Latitude/Longitu	ıde: Lat	39*20'04.86"	Long	74*29'33.64"	Horizontal	Datum: NAD 1	927 🗵 NAD 1983
A6. Attach at least 2	2 photograph	ns of the building if the	e Certific	ate is being u	sed to obtain flood	l insurance.	
A7. Building Diagrar	m Number .	7					
A8. For a building w	ith a crawls	pace or enclosure(s):					
		space or enclosure(s)					
b) Number of pe	ermanent flo	od openings in the cra	awispace	e or enclosure	e(s) within 1.0 foot	above adjacent gra	de <u>5</u>
c) Total net are	a of flood op	enings in A8.b	1	025.00 sq in			
d) Engineered f	lood openin	gs? ⊠Yes 🗆 N	lo				
A9. For a building wi	th an attach	ed garage:					
a) Square foota	ge of attach	ed garage		0.00 sq ft			
		od openings in the at			1.0 foot above adja	acent grade 0	
		enings in A9.b					
d) Engineered f	lood opening	gs? ∐Yes ⊠N	lo				
	SE	CTION B - FLOOD I	NSURA	NCE RATE	MAP (FIRM) INF	ORMATION	
B1, NFIP Community				B2. County			B3. State
Ventnor City ~ 3453		ommanity Hambor		Atlantic			New Jersey
B4, Map/Panel Number	B5. Suffix	B6. FIRM Index Date	Effe	RM Panel ective/ vised Date	B8. Flood Zone(s)	B9. Base Flood E (Zone AO, us	levation(s) e Base Flood Depth)
345326/0001	В	06-18-1971	09-15-		A8	10.00	
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9: FIS Profile X FIRM Community Determined Other/Source:							
B11. Indicate elevation datum used for BFE in Item B9: X NGVD 1929 NAVD 1988 Other/Source:							
B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? 🗌 Yes 🗵 No							
Designation D	Designation Date: CBRS OPA						

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORIANT, in these spaces, sept the second september				FOR INSURANCE COMPANY USE		
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 26 North Washington Avenue				Policy Number: Company NAIC Number		
City Sta Ventnor Ne	ute ZIP (w Jersey 0840	Code 06	Compar	ny NAIC N	lumber	
SECTION C – BUILDING EL	EVATION INFORMAT	ION (SURVEY RE	QUIRE	D)		
*A new Elevation Certificate will be required when	construction of the building	ding Under Constru ng is complete.			ed Construction	
C2. Elevations – Zones A1–A30, AE, AH, A (with BFE) Complete Items C2.a–h below according to the bui Benchmark Utilized: Private Benchmarks	VE, V1–V30, V (with Bl Iding diagram specified i Vertical Datum:	n item Ar, in Fuert	AE, AR// o Rico or	A1-A30, A nly, enter r	R/AH, AR/AO. neters.	
Indicate elevation datum used for the elevations in		v.				
	/Source: ne as that used for the B	FE.	————	ck the me	asurement used.	
a) Top of bottom floor (including basement, crawls	nace or enclosure floor	i		⊠ feet	meters	
•	pace, or oriological near		16.11	⊠ feet	meters	
b) Top of the next higher floor	0 / Zanas ant/\		N/A	⊠ feet	meters	
c) Bottom of the lowest horizontal structural memb	er (v Zories only)		N/A	— ⊠ feet	meters	
d) Attached garage (top of slab) e) Lowest elevation of machinery or equipment se	rvicing the building		16.11		meters	
(Describe type of equipment and location in Co			7.0	⊠ feet	meters	
f) Lowest adjacent (finished) grade next to buildin			7.30	— ⊠ feet	meters	
g) Highest adjacent (finished) grade next to buildir				—		
 h) Lowest adjacent grade at lowest elevation of de structural support 	eck of stairs, including		N/A	⊠ feet	meters	
SECTION D - SURVEYOR						
This certification is to be signed and sealed by a land sealed by a land sealed by a land sealed by that the information on this Certificate represent statement may be punishable by fine or imprisonment upon the sealed by a land sealed by the sealed					•	
Were latitude and longitude in Section A provided by a	licensed land surveyor?	⊠Yes □No	×	Check her	e if attachments.	
Certifier's Name	License Number 18612					
Robert J. Catalano ~ Surveyor	10012		-			
Title Owner				P	lace	
Company Name Robert J. Catalano & Associates				E	ieal	
Address 12 South Virginia Avenue				in the state of th	lere	
City Atlantic City	State New Jersey	ZIP Code 08401				
Signature	Date 12-04-2020	Telephone (609) 345-1887	Ext.			
Copy all pages of this Elevation Certificate and all attachn	nents for (1) community o	fficial, (2) insurance	agent/co	mpany, ar	id (3) building owner.	
Comments (including type of equipment and location, p All elevations refer to NGVD (1929 datum) maintained I gross opening area. These values may be increased in Notes by Catalano Surveyors. C2e) ~ Lowest Elevation of Machinery is the HVAC Uni Engineered Flood Vents are Crawlspace Door Systems	by Catalano Surveyors. I accordance with FEMA ts.	rechnical bulletin	own in se I-93 or de	ction A8 & ecreased a	A9; if any, are as shown on Field	

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the correspond	ling information from	Section A.	FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Suite, an	d/or Bldg. No.) or P.O.	Route and Box No.	Policy Number:
26 North Washington Avenue		710 0 - 1-	Company NAIC Number
City	State New Jersey	ZIP Code 08406	овпрану галю гаппові
Ventnor SECTION E - BUILDING EL			REQUIRED)
FOR ZON	E AO AND ZONE A	(WITHOUT BEE)	
For Zones AO and A (without BFE), complete Items E complete Sections A, B,and C. For Items E1–E4, use enter meters.	naturai grade, ii avalia	bie. Officer the modern	
E1. Provide elevation information for the following and the highest adjacent grade (HAG) and the lowest	d check the appropriate adjacent grade (LAG).	e boxes to show whether	er the elevation is above of below
 a) Top of bottom floor (including basement, crawlspace, or enclosure) is 			ers above or below the HAG.
 Top of bottom floor (including basement, crawlspace, or enclosure) is 		feet mete	
E2. For Building Diagrams 6–9 with permanent flood	openings provided in S	Section A Items 8 and/o	r 9 (see pages 1–2 of Instructions),
the next higher floor (elevation C2.b in the diagrams) of the building is			
E3. Attached garage (top of slab) is		feet mete	ers above or below the HAG.
E4. Top of platform of machinery and/or equipment servicing the building is			
E5. Zone AO only: If no flood depth number is available floodplain management ordinance? Yes	ole, is the top of the bo	ttom floor elevated in a The local official must	ccordance with the community's t certify this information in Section G.
SECTION F - PROPERTY OV	VNER (OR OWNER'S	REPRESENTATIVE) C	ERTIFICATION
The property owner or owner's authorized representate community-issued BFE) or Zone AO must sign here.		-Hans A D and E for 7	one A (without a FFMA-issued or
Property Owner or Owner's Authorized Representativ			
Address	City	S	State ZIP Code
Signature	Date	T	elephone
Comments			
	•		
			Check here if attachments.

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expiration Date: November 30, 2022

MPORTANT: In these spaces, copy the corr	esponding information	from Section A.	FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, So 26 North Washington Avenue	uite, and/or Bldg. No.) or	P.O. Route and Box No.	Policy Number:
	01.4	ZID Code	Company NAIC Number
City	State	ZIP Code	Company NATO Number
Ventnor	New Jersey	08406	
	ON G - COMMUNITY IN	FORMATION (OPTIONAL	
The local official who is authorized by law or or Sections A, B, C (or E), and G of this Elevation used in Items G8-G10. In Puerto Rico only, en	Certificate. Complete the ter meters.	e applicable item(s) and si	git below. Others the measurement
G1. The information in Section C was tak engineer, or architect who is authoriz data in the Comments area below.)	ed by law to certity eleve	ation information. (indicate	the source and date of the elevation
or Zone AO.			MA-issued or community-issued BFE)
G3. The following information (Items G4-	-G10) is provided for con		
G4. Permit Number	G5. Date Permit Issue	G6.	Date Certificate of Compliance/Occupancy Issued
G7. This permit has been issued for:	New Construction	Substantial Improvement	
G8. Elevation of as-built lowest floor (includin of the building:	g basement)	fe	eet meters Datum
G9. BFE or (in Zone AO) depth of flooding at	the building site:	fe	eet meters Datum
G10. Community's design flood elevation:	·	fe	eet meters Datum
Local Official's Name Divo Cavalian		Title C.F.w.	
Community Name		Telephone	
Ventron		609	823-7987
		Date	
Signature		2-11-2	1
Comments (including type of equipment and lo	cation, per C2(e), if appl	icable)	
Commence (morading type of equipment and to	The section of the se	,	
			Check here if attachments.

BUILDING PHOTOGRAPHS

ELEVATION CERTIFICATE

See Instructions for Item A6.

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy th	FOR INSURANCE COMPANY USE Policy Number:		
Building Street Address (including Apt., 26 North Washington Avenue			
City Ventnor	State New Jersey	ZIP Code 08406	Company NAIC Number

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



Photo One Caption Front View 12/4/2020

Clear Photo One




Photo Two

Photo Two Caption Rear View 12/4/2020

Clear Photo Two

BUILDING PHOTOGRAPHS

ELEVATION CERTIFICATE

Continuation Page

OMB No. 1660-0008 Expiration Date: November 30, 2022

IMPORTANT: In these spaces, copy the corresponding information from Section A.

Building Street Address (including Apt., Unit, Suite, and/or Bidg. No.) or P.O. Route and Box No.
26 North Washington Avenue

City State ZIP Code Ventnor


New Jersey 08406

FOR INSURANCE COMPANY USE

Policy Number:

Company NAIC Number

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.



7 77-0-11

Photo Three Caption Side View 12/4/2020

Clear Photo Three



Photo Four Caption Engineered Flood Vents are Crawlspace Door Systems LLC Model#816CS @205Sq in. per vent.

Certification of Engineered Flood Openings

In accordance with the Code of Federal Regulations for the National Flood Insurance Program

I hereby certify that the Crawl Space Door Systems flood vents 816CS, 1220CS, 1232CS, 1616CS, 1624CS, 1632CS, 2032CS, 2424CS, and 2436CS are designed are designed in accordance with the requirements of the Code of Federal Regulations for the National Flood Insurance Program (NFIP) to provide automatic equalization of hydrostatic flood forces by allowing for the entry and exit of floodwaters, when properly installed and sized as set forth below. Vent opening measurements were measured and certified by Mr. Christopher Mark Loney, Virginia P.E. NO. 029000. Detailed calculations were prepared as outlined In "Review of certification of Engineered Flood Openings," prepared by Dr. Georg Reichard, Associate Professor of Building Construction, Virginia Tech (available upon request from Crawl Space Door Systems, Inc. billy@crawlspacedoors.com)

Design Characteristics

Section 2.6.2.2 of ASCE/SEI 24-14 provides an equation to determine the required $\underline{\text{net}}$ area of engineered openings (A_o) for a given $\underline{\text{enclosed area}}$ (A_e). This equation is based on the hydraulic formula for the flow rate across sharp edged orifices. I have utilized this equation to calculate 1) the restricted flow rate through the main frame opening in case the louver is blown out during a flood event; 2) the flow rate through the individual openings between louver blades; and 3) the flow rate through projected openings between louver blades following hydraulic short-tube theory. The maximum total enclosed area (A_e) that can be serviced by a single vent has then been determined by utilizing the lowest flow rate of the three assessed scenarios for each vent and is listed in Table 1.

These values are based on the following assumptions:

- In absence of reliable data, the rates of rise and fall have been assumed at a minimum rate of 5 feet/hour;
- The (maximum) difference between the exterior and interior floodwater levels shall not exceed 1 foot during base flood conditions;
- A factor of safety of 5 has been assumed, which is consistent with design practices related to protection of life and property;
- The net area of openings (A_o) as provided by the manufacturer.

Installation	Requirements and Limitation	ns
IIIDUMIAUCIOAI	itoquii omionio omioni ———————————————————————————————————	

This certification will be voided if the following installation requirements and limitations are not enforced:

- There shall be a minimum of two openings on different sides of each enclosed area subject to flooding;
- The bottom of all openings shall be no higher than one foot above the higher of the interior or exterior grade that is immediately under each opening;
- No temporary (e.g. during cold weather) or permanent solid cover may be placed into or over the flood vent that would block the automatic entry or exit of floodwaters at any time;
- Where data or analyses indicate more rapid rates of rise and fall, the required number of openings shall be increased to account
 for those different conditions. The number or size of the openings may be decreased if data or analyses indicate rates of rise
 and fall are less than 5 feet per hour.

*)	Model	H x W [in]	A _o [in ²]	A _e [ft ²]
Ø.	816CS	8 x 16	105	205
	1220CS	12 x 20	235	500
	1232CS	12 x 32	305	645
	1616CS	16 x 16	180	395
	1624CS	16 x 24	310	670
	1632CS	16 x 32	405	835
	2032CS	20 x 32	630	1240
	2424CS	24 x 24	570	1230
	2436CS	24 x 36	850	1765

Table 1 Maximum total <u>enclosed</u> <u>area</u> (A_e) that can be serviced by each individual model based on the given <u>net area</u> of engineered openings (A_o)

Certifying Design Professional		
Name WILLIAM S. SWIDERSKI, P.E.	Title ENGINEER	
Company SWIDERSKI ASSSOCIATES		
Address 599 SHORE ROAD SOMERS POINT, NJ		
License PROFESSIONAL ENGINEER	License No. 24GE02048200	
Signature: WM MM	Date: 12/10/10	North Help (NA
The state of the s	ad Wanta (Dr. Othora)	

	V	<u> </u>			
Identificatio	n of the Bu	ilding and Ins	stalled Flood Vents (By Others)		
The flood vent m	odels marked	n Table 1*) are be	eing installed at the following building: 5	Model 816CS	
Building Address			ENTNOR, NJ		